

GETINGE
GETINGE GROUP


**GETINGE 9100-series
CART & UTENSIL WASHER-DISINFECTOR**



Always with you

SAVE TIME - AND UTILITIES

Getinge's 9100-series has several unique new features that can reduce process times and consumption of utilities! Process times can be as short as 15 minutes, and virtually all types of bulky items can be accommodated in one and the same machine. The result is a substantial improvement in efficiency and economy in your department.



**Getinge 9122 - Specially adapted for animal cages*

The secrets behind the time saving are threefold:

- **High heating power**

Unusually high heating power results in a short heat-up time.

- **Lateral rinsing system**

A unique lateral rinsing system enables cleaning and disinfection of virtually all types of bulky items in the Getinge 9100-series.

- **Super-fast drying**

An effective way of heating up and multiple distribution of the air in the chamber dries items completely in a short time. The washer has an air-to-air heat exchanger for condensation and heat recovery.

Four different chamber sizes

The new Getinge 9100-series is available in four different chamber sizes:

Getinge 9120 - W960 x H2000, chamber depth 2000 mm

Getinge 9125 - W960 x H2000, chamber depth 2500 mm

Getinge 9128 - W960 x H2000, chamber depth 2850 mm

Getinge 9122* - W1170 x H2200, chamber depth 2200 mm

Short payback time

A great deal of cleaning today is done manually - work that uses up valuable staff resources.

Efficiency is significantly increased by washing in a Getinge 9100-series washer-disinfector. Various costing models show that the investment can be recouped in as little as two years.

DISINFECTED AND READY IN A SHORT TIME!

Getinge 9100-series cleans and disinfects in as little as 15 minutes.



GETINGE

A control panel featuring a small LCD screen displaying the word "SETTING" and some numerical data. To the right of the screen is a vertical column of five circular buttons. Below the screen is a diamond-shaped directional pad and a small square button.

A control panel section containing a prominent red and yellow emergency stop button and a wheelchair accessibility symbol.

EXPERIENCE THE LATEST DESIGN AND TECHNOLOGY

With the Getinge 9100-series we have created a range of machines that are not just appealing to look at but are packed with all the latest technology.

For our users this means reliability and efficiency in their daily activities, with fast processes and superior results - combined with simple and ergonomic operation.



Meets all current standards and hygiene requirements

The Getinge 9100-series offers superior cleaning and disinfection, and of course meets all relevant standards, including EN/ISO 15883.

The 9100-series also meets the strictest hygiene requirements. Partly thanks to the fact that the pipe system is drained. Partly thanks to the fact that all the surfaces in the washer-disinfector are completely smooth, which eliminates all risk of dirt build-up. The smooth surfaces, even in the welded joints, have been achieved by using the latest robot technology.

Design with function

Getinge's industrial designers have not just thought about good design in developing the new 9100-series. They have also built in smart solutions for users and service technicians. Glass doors, for example, are not just attractive but also allow for good visual inspection of the process and are free from leaks. Glass doors are standard on all models in the Getinge 9100-series.

PACS 3500 control system

The processes in Getinge washer-disinfectors are safeguarded by the PACS 3500 control system. The system has many built-in safety functions and monitoring options, which assures satisfactory results every time.

As a user, you are on familiar ground from Getinge's sterilizers and other washer-disinfectors.

Low water consumption

Thanks to a new washing system and smart washing programs, our flow engineers have succeeded in bringing water consumption down to levels that in the past were barely thought possible.

Easy to use

The Getinge 9100-series is designed to make the user's work as simple and effective as possible. Prime examples are the automatic doors, the flat floor inside the machine and the user-friendly control panel.

UNIQUE SOLUTIONS THAT MAKE A DIFFERENCE

Getinge has 30 years of experience of manufacturing cart washer-disinfectors. This know-how has resulted in several innovative solutions in the development of the Getinge 9100-series:

Pit depth only 150 mm

The shallow pit means that the Getinge 9100 can be installed in most buildings without any problem. In addition, the shallow sump holds little water, thus minimizing water and detergent consumption and reducing heat-up times.

Lateral washing system

In addition to spray arms between all levels of the manifold wash carts, the Getinge 9100-series has a lateral side-washing system. This ensures superior cleaning results, as the water jets continuously reach both the inside and outside of all types of items.

Booster and saving tanks

In order to reduce cycle times, an optional booster tank can be installed. Saving tanks for reduction of detergent and water consumption and cycle times are also available as options.

Unique docking to cart

To make loading and unloading as simple as possible, the Getinge 9100-series has a flat floor. Thanks to the new automatic docking to the manifold wash carts, the floor remains smooth, even when using carts requiring a water connection from below.

Outstanding drying system

The drying air passes through a HEPA filter and an air-to-air heat exchanger before entering the chamber through multiple entry ports. The turbulent air conditions reduce the drying time to a minimum.




Shallow pit and small sump



Lateral washing system and multiple drying ports.



Flat floor with manifold docking.



Spray arms...
...between each level
of the wash cart.

Lateral rinsing
Makes possible internal and
external cleaning of all types
of items.

Automatic manifold docking...
of wash water to cart..



Glass door
Makes it easy to inspect the process.

Chambers in four different depths
2000, 2200, 2500 or 2845 mm.



User-friendly panel..
...thanks to Getinge's plain-language display.

COPE WITH ALL KINDS OF ITEMS

Thanks to the lateral rinsing system and Getinge's smart manifold wash carts, virtually all types of bulky items can be cleaned and disinfected in the Getinge 9100-serie:



Washing of animal cages.



Washing of closed trolley.



Washing of handicap equipment (wheelchairs, toilet seats).



Washing of plastic crates.



Washing of containers and lids.



Washing of BUS trolley.



COMPLETE SOLUTIONS FOR INFECTION CONTROL

Getinge is the world's leading provider of solutions for effective cleaning, disinfection and sterilization in the healthcare and life science sectors. We are dedicated to helping our customers provide better care at a lower cost. We do this by offering well thought through and customized solutions. This means that we are with our customers all the way from architectural planning and education to traceability and support – with complete solutions, long-term commitment and global presence. Getinge – Always with you.

Getinge Infection Control AB

P O Box 69
SE-310 44 Getinge
SWEDEN
Phone: +46 10 335 00 00
info@getinge.com

GETINGE

GETINGE GROUP

www.getinge.com

GETINGE GROUP is a leading global provider of products and systems that contribute to quality enhancement and cost efficiency within healthcare and life sciences. We operate under the three brands of ArjoHuntleigh, GETINGE and MAQUET. **ArjoHuntleigh** focuses on patient mobility and wound management solutions. **GETINGE** provides solutions for infection control within healthcare and contamination prevention within life sciences. **MAQUET** specializes in solutions, therapies and products for surgical interventions and intensive care.